高新技术企业

实用新型发明企业

SENYO 森洋机械 | HOOCHING 浩恩智能机械

National Toll Free Service Hotline: 400-699-7299

Sales Call: Senyang Machinery—0757-81433618/0757-81433619

Sales Call: Haoen Machinery—0757-29393538/0757-29393539

Website: www.gdsanyo.com/www.chinahaoen.net

Address: Senyang Machinery—No.16 Zhongxin Road, Nanjing Industrial Zone, Yanbu, Nanhai District, Foshan City, Guangdong Province

Address: Haoen—Building 9A, Zhongji Zhigu, 15 Shunye Road, Shunde High-Tech Zone, Foshan City, Guangdong Province

Official WeChat

Official WeChat

Official Tiktok

佛山森洋自动化包装设备有限公司

FOSHAN SENYANG AUTOMATIC PACKAGING EQUIPMENT CO., LTD

广东浩恩智能包装机械有限公司

GUANGDONG HAOEN INTELLIGENT PACKAGING MACHINERY CO., LTD

成为智能自动化包装设备领先者

BECOME THE LEADER OF INTELLIGENT AUTOMATIC PACKAGING EQUIPMENT

中国·广东

GUANGDONG·CHINA



COMPANY PROFILE

Design

R&D

Production

Sell

高新技术企业

实用新型发明企业

BEST QUALITY

INTELLIGENT INNOVATION

SERVE WITH HEART

Foshan Senyang and Guangdong Haoen are South China-based tech firms specializing in counting, weighing, customization, and intelligent automated packaging equipment. They integrate R&D, production, and sales, forming a complete industrial chain for automated packaging through years of development. They serve industries like furniture, electronics, automotive, plastics, rubber, hardware, specialty foods, chemicals, and biotech, earning strong market recognition. They also offer standardized packaging solutions to help businesses reduce costs and improve efficiency.

Guided by a "people-oriented, customer-first" philosophy, they provide reliable products and services. With advanced technology, skilled teams, and innovation, they aim to build a high-precision brand in automated packaging.

Their mission is to "thrive on quality, grow through technology, achieve efficiency via management, and build trust through service," driving continuous innovation.

Corporate Culture

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Company Philosophy: People-oriented, customer-first

Vision:
To lead in intelligent automated packaging equipment

Mission:

Enhance customer value with products
Drive enterprise growth with technology
Promote employee happiness with respect
Embody craftsmanship with precision

Values:
Expertise, craftsmanship, integrity, and win-win collaboration

Culture:
Honesty, rigor, innovation, and progress

Three Commitments:
Quality, service, efficiency

2008: Brand Founding
Senyang Machinery, born from the "South China Packaging Automation Research Institute," combined German expertise and domestic industry experience to establish its brand.

2012: Progress
Amid economic growth, Senyang developed counting, weighing, and detection systems, partnering with leading firms to expand its presence in automated packaging.

2015: System Upgrade
Aligned with ISO9001 standards, Senyang earned CE certification and patents. The new brand "Haoen Intelligence" was launched for broader market reach.

2018: Strategic Growth
Recognized as a "High-Tech Enterprise," Senyang led the intelligent packaging industry, prioritizing customer needs and investing heavily in R&D.

2021: Building the Future
After 13 years, Senyang and Haoen grew through innovation, enhancing customer value and aiming to be their top partner.

Specialization, Precision, Uniqueness, Innovation
Senyang and Haoen are becoming fully specialized, precise, unique, and innovative industrial leaders.

高新技术企业 实用新型发明企业

CERTIFICATE OF HONOR

高新技术企业　实用新型发明企业

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Patent Certificate

①

②

③

④

⑤

⑥

⑦

⑧

⑨

⑩

⑪

⑫

①Patent No.：ZL 2019 2 2263500.5　②Patent No.：ZL 2019 2 2264186.2

③Patent No.：ZL 2019 3 0511314.1　④Patent No.：ZL 2019 2 1556925.9

⑤Patent No.：ZL 2019 2 1549828.7　⑥Patent No.：ZL 2019 2 1556895.1

⑦Patent No.：ZL 2017 2 1469043.X　⑧Patent No.：ZL 2015 2 0343004.X

⑨Patent No.：ZL 2015 2 0343143.2　⑩Patent No.：ZL 2017 2 0028248.8

⑪Patent No.：ZL 2017 2 0028247.3　⑫Patent No.：ZL 2017 2 0033586.0

*THE ABOVE PATENTS ARE PARTIALLY DISPLAYED DUE TO TYPOGRAPHIC SPACE LIMITATIONS

CERTIFICATE OF HONOR

高新技术企业　实用新型发明企业

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Enterprise Certificate

①

②

③

④

⑤

⑥

⑦

⑧

⑨

⑩



⑪



⑫

① High-Tech Product of Guangdong Province - Precision Automatic Counting and Packaging Machine

② Grade III Enterprise in Work Safety Standardization

③ Member Unit of Foshan Science and Technology Innovation Association

④ Software Copyright - Packaging Machinery R&D and Management Platform

⑤ Government Procurement Agreement Supplier

⑥ Software Copyright - Intelligent Automation Big Data Management System

⑦ High-Tech Enterprise

⑧ Member of Foshan Machinery Equipment Industry Association

⑨ Member Unit of Guangdong Product Quality and Brand Promotion Association

⑩ Guangdong User Satisfaction Brand Enterprise

⑪ Guangdong User Satisfaction Brand Enterprise

⑫ "Credible Guangdong" Trustworthy Commitment Unit

BUSINESS PARTNER

高新技术企业 实用新型发明企业

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

顶固 Topstrong
STANLEY
ANDISI 安帝斯
RED APPLE | 红苹果
MeiKi 明希
SENYO 森洋机械
HOOCHING 浩恩智能机械
索菲亞
维尚家具 WISION FURNITURE
尚品宅配
JONGTAY 中泰办公家具 JONGTAY OFFICE FURNITURE
DIOUS 迪欧
HOLiKE 好莱客衣柜
IKEA

Midea
Vanward 万和 让家更温暖
雅迪
LIXIE
GREE 格力
Panasonic
SIEMENS
TCL
椒王火锅 JIAOWANG HOTPOT
SHARP
中财集团 ZHONGCAI GROUP
AVIC 中航工业
Heell 恒洁卫浴
ZONWE 中威集团
日丰管
华鸿
ALL TEST
KYUAN SINCE 1986S
贝洛橡胶 BELLO
TTRC
Schneider Electric 施耐德电气
CHNT 正泰

SENYO 森洋机械 | HOOCHING 浩恩智能机械

高新技术企业 实用新型发明企业

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Vision:

To become the leader of intelligent automated packaging equipment

Mission:

Improve customer value with products

Drive enterprise development with technology

Promote employee happiness with respect

With fine casting craftsman spirit

目录 CONTENT

一、Rubber, Plastic Products

① Fastener Automatic ---------- 01—11

② Building Materials Automatic ---------- 12—25

③ Automatic Injection Molding ---------- 26—27

④ Furniture Automatic ---------- 28—35

二、Rubber, Plastic Products

① Rubber, Plastic Products Full Brake ---------- 36—40

三、Health, leisure Food Industry

① Tea Automatic ---------- 41

② Soup Packet Automatic ---------- 42

③Nut Packaging Machine ---------- 43

④Automatic Granule Packaging ---------- 44

四、Biotech & Chemical Industries

①Auto Reagent Testing Tools ---------- 45—46

②Fully automatic chemicals ---------- 47—48

五、Custom Solutions & Smart Factories

①Automatic Packaging Line ---------- 49—50

②Smart Automation Production ---------- 51—52

六、Partner Case ---------- 53

Rubber, Plastic Products

Fastener Automatic

Automatic Counter Packer

Features

1、7-inch color touch screen, programmable imported PLC control system, easy to operate
2、Adjustable parameters (e.g., quantity, bag length, packaging target count, reset, etc)
3、Intelligent temperature controller ensures strong sealing, excellent airtightness, and refined packaging
4、Automatically completes sorting, counting, filling, bag-making, sealing, and cutting
5、Independently developed sorting mechanism and counting system, featuring high speed and accuracy
6、Optional add-ons: printer, labeler, weight check scale, and finished product conveyor.

Parameters

Equipment type	DXD-320T4
Bag size	Width: 30-180mm, Length: 150mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	10-60 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back Seal (Customizable)
Overall power	2.6KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	450Kg
Apparent dimension	L: 1130mm，W: 1300mm，H: 1314mm

Applications

Suitable for fully automatic counting and packaging of various regular-shaped products, including bolts, studs, screws, nuts, self-tapping screws, wood screws, washers, retaining rings, pins, rivets, assemblies, connection

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Counting Type Packaging Machine

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable parameters (quantity, bag length, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, counting, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and counting system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T6
Bag size	Width: 30-180mm, Length: 150mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	10-60 Bags/Min
Structural material	Carbon Steel 、 Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back Seal (Customizable)
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 3830mm，W: 1190mm，H: 1215mm

Applications

Suitable for automatic counting and packaging of regular-shaped products: bolts, studs, screws, nuts, self-tapping screws, wood screws, washers, rings, pins, rivets, assemblies, sub-assemblies, welding nails, etc.

Rubber, Plastic Products

Fastener Automatic

Fastener Automatic

Parameters

Equipment type	DXD-320T16
Bag size	Width: 30-180mm, Length: 150mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	50-70 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back Seal (Customizable)
Overall power	7.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1900Kg
Apparent dimension	L: 8925mm，W: 1490mm，H : 800mm

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (quantity, bag length, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, counting, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and counting system.
6、Optional: printer, labeler, check scale, conveyor.

Applications

Ideal for automatic counting and packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Single-Head Weighing Packager

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, Length: 150mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	8-20 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back Seal (Customizable)
Overall power	3KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	600Kg
Apparent dimension	L: 4025mm，W: 1100mm，H: 1800mm

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and weighing system.
6、Optional: printer, labeler, check scale, conveyor.

Applications

Suitable for automatic weighing and packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

Rubber, Plastic Products

Fastener Automatic

Single-Head Weighing PE Bag Sealing Machine

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and weighing system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-350T2
Bag size	Width: 200-350mm, Length: 500mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE
Edging form	Top and Bottom Sealing
Overall power	3KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 5360mm，W: 1450mm，H: 2300mm

Applications

Suitable for automatic weighing and packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Combination Weighing PE Sealer

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-precision sorting and weighing system, strong versatility.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-350T10
Bag size	Width: 200-350mm, Length: 500mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE
Edging form	Top and Bottom Sealing
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	800Kg
Apparent dimension	L: 4600mm，W: 2410mm，H: 2860mm

Applications

Suitable for automatic weighing and packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

Rubber, Plastic Products

Fastener Automatic

Combination Weighing High-Speed Packager

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and weighing system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, Length: 380mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back Seal (Customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Suitable for automatic high-speed weighing and packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

Combination Weighing Bag Packager

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and weighing system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-200T
Bag size	Width: 100-200mm, Length: 100-400mm (Customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 Bags/Min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Stand-up pouches, zipper bags, three-side seal bags, gusseted bags, shaped stand-up bags, etc.
Edging form	Top Sealing
Overall power	7.8KW
Electric voltage	AC380V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	2500Kg
Apparent dimension	L: 5450mm，W: 2550mm，H: 3326mm

Applications

Suitable for automatic packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products using pre-made bags.

Rubber, Plastic Products

Fastener Automatic Packager

Counting Carton Packing Machine

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (quantity, target count, reset, etc.).
3、User-friendly design, easy operation and maintenance, strong versatility.
4、Auto sorting, counting, filling, box loading, and lid closing.
5、High-speed, precise sorting and counting system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T2C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-40 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Carton, Plastic Box (Customizable)
Edging form	/
Overall power	1.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	200Kg
Apparent dimension	L: 2400mm，W: 965mm，H : 1250mm

Applications

Suitable for automatic counting and carton packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Combination Weighing Cartoner

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (quantity, target count, reset, etc.).
3、User-friendly design, easy operation and maintenance, strong versatility.
4、Auto sorting, weighing, filling, box loading, and conveying.
5、High-speed, precise sorting and weighing system.
6、Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-200C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-60 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Carton, Plastic Box (Customizable)
Edging form	/
Overall power	7.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1800Kg
Apparent dimension	L: 3500m，W: 4600mm，H: 2860mm

Applications

Suitable for automatic weighing and carton packaging of bolts, studs, screws, nuts, washers, pins, rivets, assemblies, welding nails, and other regular-shaped products.

Rubber, Plastic Products

Fastener Automatic Packager

Horizontal Packaging Machine

Features

1、7-inch touch screen, PLC control, easy operation.
2、Servo control, precise bag length adjustment, no empty runs.
3、Smart temp control, strong seal, refined packaging.
4、User-friendly design, easy operation and maintenance, strong versatility.
5、Self-diagnostic function, auto-stop and alarm for faults.
6、Optional: printer, perforator, labeler, check scale, sorting system.

Parameters

Equipment type	DXD-350
Bag size	Width: 50-165mm, length: customized
Control mode	7-inch Smart Touch Screen
Packing speed	30-120 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back seal (customizable)
Overall power	2.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	350Kg
Apparent dimension	L: 4026mm，W: 900mm，H : 1166mm

Applications

Suitable for automatic packaging of larger and heavier products such as bolts, studs, nuts, and more.

Hardware Industry

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Building Material Auto Packager

Swelling Nail Counting Packaging Machine

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (quantity, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, counting, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and counting system.
6、Optional: labeler, robotic arm, check scale, conveyor.

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	8-10 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back seal (customizable)
Overall power	2KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	400Kg
Apparent dimension	L: 1855mm，W: 1100mm，H: 1850mm

Applications

Suitable for automatic counting and packaging of various types of wall plugs/expansion anchors



高新技术企业 实用新型发明企业

Rubber, Plastic Products

Building Material Auto Packager

Wall Plug Weighing Packager

Features

1、7-inch touch screen, PLC control, easy operation.
2、Adjustable settings (weight, bag length, target count, reset, etc.).
3、Smart temp control, strong seal, refined packaging.
4、Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、High-speed, precise sorting and weighing system.
6、Optional: labeler, robotic arm, check scale, conveyor.

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	8-15 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP;etc
Edging form	Back seal (customizable)
Overall power	3KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	600Kg
Apparent dimension	L: 4025mm，W: 1100mm，H: 1800mm

Applications

Suitable for automatic weighing and packaging of various types of wall plugs/expansion anchors.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Expansion Anchor Automatic Assembly

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, assembly, counting, bag-making, sealing, cutting.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-Z300
Bag size	Width: 360-160mm, Length: 180mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE roll film
Edging form	Three-side seal
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	500Kg
Apparent dimension	L: 2000mm，W: 1458mm，H: 1575mm

Applications

Suitable for automatic assembly and packaging of various types of wall plugs/expansion anchors.

Rubber, Plastic Products

Building Material Auto Packager

Expansion Anchor Automatic Assembly

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, assembly, counting, bag-making, sealing, cutting.
5. High-speed, precise assembly and counting system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-Z350
Bag size	Width: 3200-350mm, Length: 500mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE cartridge film
Edging form	Top and bottom sealing
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	850Kg
Apparent dimension	L: 1280mm，W: 1950mm，H: 1550mm

Applications

Suitable for automatic assembly and packaging of various types of wall plugs/expansion anchors and building

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Expansion Anchor Counting Cartoner

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, target count, reset, etc.).
3. User-friendly design, easy operation and maintenance, strong versatility.
4. Auto sorting, counting, filling, box loading, and lid closing.
5. High-speed, precise sorting and counting system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T2C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-40 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Paper box, plastic box (customizable)
Edging form	/
Overall power	1.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	200Kg
Apparent dimension	L: 2400mm，W: 965mm，H : 1250mm

Applications

Suitable for automatic counting and carton packaging of various types of wall plugs/expansion anchors.

Rubber, Plastic Products

Building Material Auto Packager

Plug plug Weighing Box Machine

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, target count, reset, etc.).
3. User-friendly design, easy operation and maintenance, strong versatility.
4. Auto sorting, weighing, filling, box loading, and conveying.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-200C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-60 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Paper box, plastic box (customizable)
Edging form	/
Overall power	7.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1800Kg
Apparent dimension	L: 3500m，W: 4600mm，H: 2860mm

Applications

Suitable for automatic high-volume weighing and carton packaging of various types of wall plugs/expansion anchors.

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Weighing Test Equipment

Technical Characteristics

Product introduction	
Detection speed	20-60 pieces/min (depending on material)
Belt speed	20—100m/min
Classification interval	Lower limit, qualified, upper limit
Conveyor table height	300—750mm（customizable)
Body material	Stainless steel polishing
conveyor	Standard material (high strength special aluminum profile)
Control panel	Touch screen control
Culling mode	Positive and negative rotation/push rod/swing arm/air blowing/shunt type
Communication interface	RS232, RS485 optional, output weight and sorting statistics
Power source	220VAC, 50Hz, 500W-1000W single-phase power supply
Use environment	The installation site of the inspection weight should avoid vibration, and the working temperature is -10℃~40℃

Technical parameter

SN	Maximum weighing	Division value	Belt effective range	Functional characteristics
1	20g	0.01g	400*200	1. Weighing accuracy: ±0.01g. 2. Up to 100 parameter storage recipes. 3. Detects and rejects defective products with alarm. 4. Smart touch control system, user-friendly operation.
2	200g	0.1g	300*150	
3	2000g	1g	200*150	

Rubber, Plastic Products

Fastener Automatic Packager

Pipe Clamp Counting Packager

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, counting, filling, bag-making, sealing, cutting.
5. High-speed, precise sorting and counting system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	10-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE; PAC/PP; PA/PE; PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	2.6KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	450Kg
Apparent dimension	L: 2300mm，W: 1300mm，H: 1300mm

Applications

Suitable for all types of tube card/wire card
Fully automatic counting package.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Pipe Clamp Weighing Packager

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (weight, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, weighing, filling, bag-making, sealing, cutting.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, Length: 380mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Suitable for all types of tube card/wire card large metering
Automatic weighing and packing

Rubber, Plastic Products

Building Material Auto Packager

Pipe Clamp Counting Cartoner

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, target count, reset, etc.).
3. User-friendly design, easy operation and maintenance, strong versatility.
4. Auto sorting, counting, filling, box loading, and lid closing.
5. High-speed, precise sorting and counting system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T2C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-40 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Paper box, plastic box (customizable)
Edging form	/
Overall power	1.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	200Kg
Apparent dimension	L: 2400mm，W: 965mm，H : 1250mm

Applications

Suitable for automatic counting and carton packaging of various types of pipe clamps/cable ties.

高新技术企业
实用新型发明企业
BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Pipe Clamp Weighing Packager

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, target count, reset, etc.).
3. User-friendly design, easy operation and maintenance, strong versatility.
4. Auto sorting, weighing, filling, box loading, and conveying.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-200C
Bag size	/
Control mode	7-inch Smart Touch Screen
Packing speed	20-40 box/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Paper box, plastic box (customizable)
Edging form	/
Overall power	7.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1800Kg
Apparent dimension	L: 3500m，W: 4600mm，H: 2860mm

Applications

Suitable for automatic high-volume weighing and carton packaging of various types of pipe

Rubber, Plastic Products

Building Material Auto Packager

Tile Spacer 4-Head Weighing Packager

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (weight, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, weighing, filling, bag-making, sealing, cutting.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T4
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 packages/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE; PAC/PP; PA/PE; PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	2.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	400Kg
Apparent dimension	L: 2300mm，W: 1300mm，H: 1850mm

Applications

Suitable for all types of tile positioning cross card/light plastic parts
Automatic weighing and packaging.



BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Tile Leveler Combo Weighing Packager

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (weight, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, weighing, filling, bag-making, sealing, cutting.
5. High-speed, precise sorting and weighing system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-520T10
Bag size	Width: 380-250mm, Length: 380mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 packages/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE; PAC/PP; PA/PE; PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Suitable for all kinds of tile levelers/levelers/positioners
Automatic weighing high speed packaging.

Building Material Auto Packager

Horizontal Packing Machine



Features

1. 7-inch touch screen, PLC control, easy operation.
2. Servo control, precise bag length adjustment, no empty runs.
3. Smart temp control, strong seal, refined packaging.
4. User-friendly design, easy operation and maintenance, strong versatility.
5. Self-diagnostic function, auto-stop and alarm for faults.
6. Optional: printer, perforator, labeler, check scale,

Parameters

Equipment type	DXD-350
Bag size	Width: 50-165mm, length: adjustable
Control mode	7-inch Smart Touch Screen
Packing speed	20-30 m/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	2.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	350Kg
Apparent dimension	L: 4026mm，W: 900mm，H : 1166mm

Applications

Suitable for all types of aluminum profiles, round pipes, square pipes, etc
Automatic packaging.

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Pipe Fitting Auto Packager

Counting Type Packaging Machine

Features

1. 7-inch touch screen, PLC control, easy operation.
2. Adjustable settings (quantity, bag length, target count, reset, etc.).
3. Smart temp control, strong seal, refined packaging.
4. Auto sorting, counting, filling, bag-making, sealing, cutting.
5. High-speed, precise sorting and counting system.
6. Optional: printer, labeler, check scale, conveyor.

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	10-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	2.6KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	350Kg
Apparent dimension	L: 1130mm，W: 1100mm，H: 1300mm

Applications

Fully automatic for various types of pipe fittings
Count the package.

高新技术企业 实用新型发明企业

Pipe Fitting Automatic Packager

Combo Weighing Packager

Features

1、 7-inch touch screen, PLC control, easy operation
2、 Adjustable settings (weight, bag length, target count, reset, etc.)
3、Smart temp control, strong seal, refined packaging
4、 Auto sorting, weighing, filling, bag-making, sealing, cutting.
5、 High-speed, precise sorting and weighing system
6、 Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, Length: 380mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	30-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Fully automatic for various types of pipe fittings
Weighing high speed packaging.

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Furniture Accessories Auto Packager

Counting Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset, etc.)
3、Smart temp control, strong seal, refined packaging
4、 Auto sorting, counting, filling, bag-making, sealing, cutting
5、 High-speed, precise sorting and counting system
6、 Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T4
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	20-50 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	2.6KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	450Kg
Apparent dimension	L: 2300mm，W: 1300mm，H: 1300mm

Applications

Applicable to eccentric, connecting rod, embedded part, wood tip,
Fully automatic counting

高新技术企业 实用新型发明企业

Rubber, Plastic Products

Furniture Accessories Auto Packager

Counting Packager

Features

1、 7-inch touch screen, PLC control, easy operation
2、 Adjustable settings (quantity, bag length, target count, reset, etc.)
3、Smart temp control, strong seal, refined packaging
4、 Auto sorting, counting, filling, bag-making, sealing, cutting
5、 High-speed, precise sorting and counting system
6、 Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T6
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	30-70 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 3830mm，W: 1190mm，H: 1215mm

Applications

Applicable to eccentric, connecting rod, embedded part, wood tip,
Fully automatic counting

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Combo Weighing Packager

Features

1、 7-inch touch screen, PLC control, easy operation
2、 Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and weighing system
6、 Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, Length: 380mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	30-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP, etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Applicable to eccentric, connecting rod, embedded parts, wood tips, etc
Automatic weighing high speed packaging.

Rubber, Plastic Products

Furniture Accessories Auto Packager

Horizontal packing machine

Features

1、 7-inch touch screen, PLC control, easy operation
2、 Servo control, precise bag length, no empty runs
3、Smart temp control, strong seal, refined packaging
4、User-friendly design, easy operation and maintenance
5、 Self-diagnostic function, auto-stop and alarm
6、 Optional: printer, perforator, labeler, check scale, sorting

Parameters

Equipment type	DXD-350
Bag size	Width: 50-165mm, length: adjustable
Control mode	7-inch Smart Touch Screen
Packing speed	30-120 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP .etc
Edging form	Back seal (customizable)
Overall power	2.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	350Kg
Apparent dimension	L: 4026mm，W: 900mm，H : 1166mm

Applications

It is suitable for drawer slide, door and window hinge, hinge and so on
Automatic packaging of regular functional parts.

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Caster Counting Automatic Packager

Features

1. 7-inch touch screen, PLC control, easy operation
2. Adjustable settings (weight, bag length, target count, reset)
3. Smart temp control, strong seal, refined packaging
4. Auto sorting, counting, filling, bag-making, sealing, cutting
5. High-speed, precise sorting and counting system
6. Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T1
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	15-20 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP etc
Edging form	Back seal (customizable)
Overall power	2.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	230Kg
Apparent dimension	L: 1960mm，W: 812mm，H: 1670mm

Applications

It is suitable for automatic packaging of furniture castor accessories.

Rubber, Plastic Products

Furniture Accessories Auto Packager

Caster Horizontal Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Servo control, precise bag length, no empty runs
3、Smart temp control, strong seal, refined packaging
4、User-friendly design, easy operation and maintenance
5、Self-diagnostic function, auto-stop and alarm
6、Optional: printer, perforator, labeler, check scale, sorting

Parameters

Equipment type	DXD-350
Bag size	Width: 50-165mm, length: adjustable
Control mode	7-inch Smart Touch Screen
Packing speed	30-120 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP .etc
Edging form	Back seal (customizable)
Overall power	2.8KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	350Kg
Apparent dimension	L: 4026mm，W: 900mm，H : 1166mm

Applications

Suitable for automatic packaging of furniture castor accessories.

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Wardrobe Connector Counting Packager

Features

1、 7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-420T8
Bag size	Width: 50-200mm, Length: 300mm(customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	10-15 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	800Kg
Apparent dimension	L: 4577mm，W: 1374mm，H: 13150mm

Applications

It is suitable for automatic counting and packing of fittings such as three-way and four-way of simple wardrobe/shoe cabinet.



Wardrobe Connector Weighing Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, length: 300mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	20-40 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Suitable for automatic weighing and packing of simple wardrobe/shoe cabinet three-way, four-way and other joint accessories.

Rubber, Plastic Products

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Rubber & Plastic Auto Packager

Counting Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, length: 150mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	10-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	2.6KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	350Kg
Apparent dimension	L: 1130mm，W: 1100mm，H: 1300mm

Applications

Suitable for automatic counting and packaging of O-rings, sealing rings, and rubber products.

Rubber, Plastic Products

Rubber & Plastic Auto Packager

Single-Head Weighing Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T2
Bag size	Width: 30-180mm, length: 150mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	5-15 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	3KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	600Kg
Apparent dimension	L: 4025mm，W: 1100mm，H: 1800mm

Applications

Suitable for O-ring, sealing ring, rubber products Fully automatic weighing and packing

Single-Head Weighing PE Bag Sealer

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting

Parameters

Equipment type	DXD-350T2
Bag size	Width: 200-350mm, length: 500mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE cartridge film
Edging form	Top and bottom sealing
Overall power	3KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 5360mm，W: 1450mm，H: 2300mm

Applications

Suitable for O-ring, sealing ring, rubber products
Automatic large metering weighing packaging.

Rubber, Plastic Products

Rubber & Plastic Auto Packager

Combo Weighing PE Sealer

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-precision sorting and weighing system, strong versatility
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-350T10
Bag size	Width: 200-350mm, length: 500mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	4-5 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	PE cartridge film
Edging form	Top and bottom sealing
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	800Kg
Apparent dimension	L: 4600mm，W: 2410mm，H: 2860mm

Applications

It is suitable for O-ring, sealing ring, rubber products automatic weighing heavy metering packaging.

Combo Weighing Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-520T10
Bag size	Width: 50-250mm, length: 380mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

It is suitable for O-ring, sealing ring, rubber products automatic heavy metering high speed packaging.

Health, leisure Food

Tea automatic packaging machine

Counting type packaging machine

Parameters

Equipment type	DXD-320T8
Bag size	Width: 30-180mm, length: 150mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	15-30 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 3830mm，W: 1190mm，H: 1215mm

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Applications

Suitable for automatic packaging of various formula mixes, such as eight-treasure tea, five-treasure tea, three-steep tea, flower tea, dehydrated vegetables, and more.

Health, leisure Food

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Soup Mix Automatic Packager

Counting Packager

Parameters

Equipment type	DXD-320T16
Bag size	Width: 30-180mm, length: 150mm（customizable）
Control mode	7-inch Smart Touch Screen
Packing speed	20-50 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	7.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	1900Kg
Apparent dimension	L: 8925mm，W: 1490mm，H (Tally tray) : 800mm

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Applications

Suitable for automatic packaging of various health soup mixes, such as mushroom soup, fish maw and goji soup, lotus seed and gorgon soup, light tonic soup, and more.

高新技术企业 实用新型发明企业

Health, leisure Food

Nut Automatic Packager

Counting Packager



Parameters

Equipment type	DXD-320T8
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	15-30 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	650Kg
Apparent dimension	L: 3830mm，W: 1190mm，H: 1215mm

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Applications

Suitable for automatic counting and packaging of daily nuts, such as hazelnuts, cashews, almonds, walnuts, raisins, dried blueberries, dried cranberries, and more.

Health, leisure Food

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART

Granule Automatic Packager

Combo Weighing Bag Packager

Parameters

Equipment type	DXD-200T
Bag size	Width: 100-200mm, Length: 100-400mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	20-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Stand-up pouches, zipper bags, gusseted bags, etc.
Edging form	Upper seal
Overall power	7.8KW
Electric voltage	AC380V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	2500Kg
Apparent dimension	L: 5450mm，W: 2550mm，H: 3326mm

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto feeding, sorting, weighing, bagging, filling, sealing
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Applications

Suitable for automatic packaging of granular foods such as peanuts, sunflower seeds, pumpkin seeds, watermelon seeds, walnuts, chestnuts, mixed grains, and more using pre-made bags.

高新技术企业
实用新型发明企业

Biotechnology and Chemical Industry

Reagent Auto Packager

Counting Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (quantity, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, counting, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and counting system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-320T6
Bag size	Width: 30-180mm, Length: 150mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	15-50 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	3.5KW
Electric voltage	AC220V，50/60Hz
Gas pressure	0.6-0.8Mpa
Machine weight	500Kg
Apparent dimension	L: 1130mm，W: 1800mm，H: 1305mm

Applications

Suitable for automatic counting and packaging of testing reagent products, such as droppers, pipette tips, reagent tubes, and more, in mixed or individual formats.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Horizontal Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、6 servo control, precise bag length, no empty runs
3、Smart temp control, strong seal, refined packaging
4、User-friendly design, easy operation and maintenance
5、Self-diagnostic function, auto-stop and alarm
6、Optional: printer, perforator, labeler, check scale, sorting

Parameters

Equipment type	DXD-650
Bag size	Width: 50-165mm, length: adjustable
Control mode	7-inch Smart Touch Screen
Packing speed	30-120 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP. etc
Edging form	Back seal (customizable)
Overall power	7KW
Electric voltage	AC220V，50/60Hz
Gas pressure	/
Machine weight	700Kg
Apparent dimension	L: 4100mm，W: 900mm，H : 1600mm

Applications

Suitable for testing reagents such as: dropper, dropper,Funnel, reagent tube, instruction manual, etc.Mixed automatic packaging.

Biotechnology and Chemical Industry

Fertilizer Automatic Packager

Combo Weighing Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto sorting, weighing, filling, bag-making, sealing, cutting
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Parameters

Equipment type	DXD-520T10
Bag size	Width: 80-250mm, Length: 380mm (customizable)
Control mode	7-inch Smart Touch Screen
Packing speed	40-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	OPP/PE；PAC/PP；PA/PE；PET/CPP.etc
Edging form	Back seal (customizable)
Overall power	4KW
Electric voltage	AC220V，50/60Hz
Machine weight	0.6-0.8Mpa
Machine weight	1100Kg
Apparent dimension	L: 6018mm，W: 2520mm，H: 3665mm

Applications

Suitable for all kinds of inorganic fertilizers, organic fertilizers, biofertilizers and other automatic heavy metering high-speed packaging.

BEST QUALITY　INTELLIGENT INNOVATION　SERVE WITH HEART

Combo Weighing Bag Packager

Features

1、7-inch touch screen, PLC control, easy operation
2、Adjustable settings (weight, bag length, target count, reset)
3、Smart temp control, strong seal, refined packaging
4、Auto feeding, sorting, weighing, bagging, filling, sealing
5、High-speed, precise sorting and weighing system
6、Optional: printer, labeler, check scale, conveyor

Applications

Suitable for automatic packaging of inorganic, organic, and bio-fertilizers using pre-made bags

Parameters

Equipment type	DXD-200T
Bag size	Width:100-200mm, Length: 100-400mm
Control mode	7-inch Smart Touch Screen
Packing speed	20-60 packets/min
Structural material	Carbon Steel 、Stainless Steel
Packaging material	Stand-up pouches, zipper bags, gusseted bags, etc.
Edging form	Upper seal
Overall power	7.8KW
Electric voltage	AC380V，50/60Hz
Machine weight	0.6-0.8Mpa
Machine weight	2500Kg
Apparent dimension	L: 5450mm，W: 2550mm，H: 3326mm

Cooperation Process

1.Packaging Requirements

Understand Customer Packaging Requirements

2.Free Sample

Customer provides products; we conduct trial packaging, record videos, and return samples

3.Custom Solutions

Tailor solutions based on samples and packaging requirements

4.Cooperation Discussion

Confirm final packaging solution, contract price, delivery timeline, and after-sales service

5.Order Scheduling

Professional 3D CAD design, parts production, PLC programming, and machine assembly

6.Quality Inspection

Professional QC with five-level quality inspection and 24-hour full machine testing to ensure zero faults

7.Equipment Acceptance

Customer provides products – Production – Ensures Equipment speed and precision meet customer requirements for packaging aesthetics.

8.Equipment Delivery

Strategic Logistics Partner with Global each Safe and Fast Delivery.

9.On-Site Installation

Free On-site Installation, Debugging, and Staff Training.



10.Comprehensive After-Sales Service

12 months of free after-sales service, free replacement of electrical parts within one year, and lifetime equipment maintenance

Customized, Smart Factory

BEST QUALITY INTELLIGENT INNOVATION SERVE WITH HEART

Automatic Packaging line



Technical Parameter			
Model	DXD-Z400	DXD-Z500	DXD-Z350
Packing time	12 cartons/min	10 cartons/min	18 cartons/min
Carton Buffer	100pcs（1000mm）	100pcs（1000mm）	100pcs（1000mm）
Carton Size	L: 250–450 W: 150–400 H: 100–400mm	L:250–700 W:150–500 H:150–500mm	L: 200–400 W: 150–350 H: 100–350mm
electricity	220V 1ф 200W	220V 1ф 200W	220V 1ф 200W
Air pressure	6kg/cm³	6kg/cm³	6kg/cm³
Air consumption	450NL/min	450NL/min	450NL/min
Dimensions	L2000×W1900×H1450mm	L2300×W2100×H1550mm	L2400×W2050×H1450mm
Weight	490kg	560kg	550kg
Tape Size	W48、60、72mm	W48、60、72mm	W48、60、72mm

Features:

- ★Advanced tech with imported parts
- ★Vertical carton storage, no need to stop for replenishment
- ★Handles same-size cartons; size change in 1-2 mins
- ★Simultaneous forming, folding, and sealing
- ★Compact, durable, stable, and efficient
- ★Includes safety acrylic cover



Automatic unpacking → self-sealing → Automatic packing → Automatically print labels → Weighing test (unqualified kick out) → Automatic labeling (fixed labeling) → Automatically fold the cover → Automatically seal the cover → Automatically seal the cover → Automatic palletizing

Customized, Smart Factory

Smart Packaging Automation

BEST QUALITY
INTELLIGENT INNOVATION
SERVE WITH HEART





Customer Factory Case

Intelligent Automatic Packaging Equipment

BEST QUALITY

INTELLIGENT INNOVATION

SERVE WITH HEART

Smart Packaging Line

高新技术企业 实用新型发明企业